



EXMAS
INTERNATIONAL

EXMAS INTERNATIONAL SOLUTIONS LTD.

➤ **Location:**

Landmark Plaza, Argwings Kodhek Rd, Nairobi

➤ **Company Registration NO:**

REF NO: PVT-BEUEBD5V

➤ **Company KRA Pin**

P052352851B

➤ **Phone No:**

+254714073647 or +254725415177

➤ **Email address**

info@exmasinternationalsolutions.com
director@exmasinternationalsolutions.com

➤ **website**

www.exmasinternationalsolutions.com



Lisse Weatherproof

A range of IP66 rated switches, sockets and multi-use enclosures

Sockets

Pre scored 20mm cut outs


Ample cutouts positioned on all sides of the enclosures. Suitable for both 20 & 25mm conduit.



IP66



Secure locking catch
Positive locking mechanism



Optimum positioned fixings and seals
Maintains IP66 & avoids any additional sealing



Accommodates Lisse Moulded Accessories

Proven quality and performance on every installation



Flexible cable entry points All socket outlets incorporate extended access for 13A plugs as well as flexible cable seals for dust and water tight seal.

Additional locking option for added security



Multi-use Enclosures

Supplied ready to assemble

Enabling bespoke combinations assembled on site



Single or twin option

Switches



LED indicator
Option for 'locator' function
or contact status

IP66



Earth stud
For convenience



Neutral loop terminal
For wiring flexibility

Large switch covers
Easy and positive operation

Compact design
Simple and easy to install.

Multi-use Enclosures

Supplied ready to assemble
Enable a combination of switch
modules to be fitted.



Socket outlets

13A 1 gang switched



Product code	Description	Pack qty
LWP3010	1 gang switched 13A socket	1
LWP3010E	1 gang switched 13A socket (external switch)	1

13A 2 gang switched



Product code	Description	Pack qty
LWP3020	2 gang switched 13A socket	1

2 gang 30mA RCD protected



Product code	Description	Pack qty
LWP3020R	2 gang non latching RCD - active	1

Fused connection units

13A double pole switched



Product code	Description	Pack qty
LWP5010	13A double pole switched fused connection unit	1

Multi-use Enclosures



Product code	Description	Pack qty
LWP9010	1 gang multi use enclosure	1
LWP9020	2 gang multi use enclosure	1

Switches

10AX 1 gang 2 way



Product code	Description	Pack qty
LWP1612	1 gang 2 wav 10AX switch	1
LWP1614M	1 gang intermediate switch module 10AX	1

10AX 2 gang 2 way



Product code	Description	Pack qty
LWP1622	2 gang 2 wav 10 AX switch	1

10AX 1 gang retractive



Product code	Description	Pack qty
LWP1012RB	1 gang retractive switch with bell symbol	1
LWP1012RP	1 gang retractive switch marked press	1

20AX double pole switched with LED



Product code	Description	Pack qty
LWP2011	20AX DP switch with LED indicator	1

Multi-use Enclosures and Modules

Enclosure



Product code	Description	Pack qty
LWPIUKIT	2 gang switch enclosure (includes 2 x 1 gang dolly, 1 x blank dolly and 1 x LED)	1

Switch modules



Product code	Description	Pack qty
LWP1612M	2 way switch module 10AX	1
LWP1012RM	Retractive switch module 10AX	1
LWP1614M	Intermediate 10AX	1
LWP2010M	DP switch module 20AX	1

Technical


Dimensions

Product code	Description	Length (mm)	Width (mm)	Depth (mm)
LWP3010	13A 1 gang switched	155	102	88
LWP3010E	13A 1 gang switched with external switch	180.5	83.0	80.5
LWP3020	13A 2 gang switched	155	163.5	88
LWP3020R	2 gang double pole - Active control	155	163.5	88
LWP5010	13A double pole switched fused connection unit	155	102	88
LWP1612	1 gang 2 way	83	83	68
LWP1622	2 gang 2 way	83	83	68
LWP1012RB	10AX 1 gang retractive printed 'bell symbol'	83	83	68
LWP1012RP	10AX 1 gang retractive printed 'press'	83	83	68
LWP1614	1 gang intermediate	83	83	68
20A DP Control Switch				
LWP2011	20AX double pole 1 gang switch with LED	83	83	68
Multi use enclosures (Accepts Lisse Moulded Accessories)				
LWP9010	Enclosure for 1 gang Lisse White Moulded	155	102	88
LWP9020	Enclosure for 2 gang Lisse White Moulded	155	163.5	88
1/2 Gang Multi Use Switch Enclosure				
LWPIUKIT	2 gang switch enclosure (includes 2 x 1 gang dolly, 1 x blank dolly and 1 x LED)	83	83	68
Optional Grid Modules - for use with IP66 multi use switch enclosure				
LWP1612M	10AX 1 gang 2 way	54	27	28.5
LWP1012RM	10AX 1 gang retractive	54	27	28.5
LWP1614M	10AX 1 gang intermediate	54	27	28.5
LWP2010M	20AX 1 gang double pole	54	27	28.5

Technical

Knockouts

Product code	No. of cable entry points	
	20mm	25mm
LWP3010	5	1
LWP3010E, LWP3020	9	1
LWP3020R	9	1
LWP5010	5	1
LWP1612, LWP1622, LWP1012RB, LWP1012RP, LWP1614	5	1
LWP2011	5	1
LWP9010	5	1
LWP9020	9	1
LWPIUKIT	5	1
LWP1612M, LWP1012RM, LWP1614M, LWP2010M	NA	NA



At Exmas international solutions, we believe **access to energy and digital** is a basic human right. We empower all to **make the most of their energy and resources**, ensuring **Life Is On** everywhere, for everyone, at every moment.

We provide **energy and automation digital** solutions for **efficiency and sustainability**. We combine world-leading energy technologies, real-time automation, software and services into integrated solutions for Homes, Buildings, Data Centers, Infrastructure and Industries.

We are committed to unleash the infinite possibilities of an **open, global, innovative community** that is passionate about our **Meaningful Purpose, Inclusive and Empowered** values.